§ 522.44

- (2) No. 059130 for use as in paragraph (d) of this section.
- (c) Special considerations. Federal law restricts this drug to use by or on the order of a licensed veterinarian.
- (d) Conditions of use. It is used in dogs, cats, and horses as follows:
- (1) *Amount. Dogs*: 0.25 to 0.5 mg per pound (/lb) of body weight; Cats: 0.5 to 1.0 mg/lb of body weight; Horses: 2.0 to 4.0 mg per 100 lbs of body weight.
- (2) Indications for use. As a tranquilizer.
- (e) Conditions of use. It is used in dogs as follows:
- (1) $Amount.\ Dogs:\ 0.25\ to\ 0.5\ mg/lb$ of body weight.
- (2) Indications for use. As an aid in tranquilization and as a preanesthetic agent.

[75 FR 10167, Mar. 5, 2010]

§ 522.44 Sterile sodium acetazolamide.

- (a) Specifications. Sterile sodium acetazolamide contains acetazolamide sodium complying with United States Pharmacopeia as a sterile powder with directions for reconstituting the product with sterile distilled water to furnish a product having a concentration of 100 milligrams acetazolamide activity per milliliter.
- (b) Sponsor. See No. 010042 in \$510.600(c) of this chapter.
- (c) Conditions of use. (1) It is used as an aid in the treatment of dogs with mild congestive heart failure and for rapid reduction of intraocular pressure.¹
- (2) It is administered intramuscularly or intraperitoneally to dogs at a level of 5 to 15 milligrams per pound of body weight daily preferably administered in two or more divided doses.¹
- (3) For use only by or on the order of a licensed veterinarian. 1

§522.46 Alfaprostol.

(a) *Specifications*. Each milliliter of sterile solution contains 1 milligram of alfaprostol.

- (b) Sponsor. No. 055882 in \$510.600(c) of this chapter.
- (c) Conditions of use. It is used in horses as follows:
- (1) Amount. For average mature mares, 6.0 micrograms per kilogram of body weight.
- (2) Indications for use. To cause luteolysis in mares with active corpora lutea.
- (3) Limitations. For intramuscular or subcutaneous use as a single injection. Not for horses intended for food. Alfaprostol is readily absorbed through the skin and can cause abortion and/or bronchial spasms. Women of childbearing age, asthmatics, and persons with bronchial and other respiratory problems should exercise extreme caution when handling this product. Federal law restricts this drug to use by or on the order of a licensed veterinarian.

[48 FR 43300, Sept. 23, 1983, as amended at 53 FR 40057, Oct. 13, 1988]

§ 522.56 Amikacin.

- (a) Specifications. Each milliliter of solution contains 50 milligrams (mg) of amikacin as amikacin sulfate.
- (b) Sponsors. See Nos. 000856 and 059130 in $\S510.600(c)$ of this chapter.
- (c) Conditions of use in dogs—(1) Amount. 5 mg/pound (lb) of body weight twice daily by intramuscular or subcutaneous injection.
- (2) Indications for use. For treatment of genitourinary tract infections (cystitis) caused by susceptible strains of Escherichia coli and Proteus spp. and skin and soft tissue infections caused by susceptible strains of Pseudomonas spp. and E. coli.
- (3) *Limitations*. Do not use in horses intended for human consumption. Federal law restricts this drug to use by or on the order of a licensed veterinarian.

[76 FR 17338, Mar. 29, 2011]

§ 522.62 Aminopentamide hydrogen sulfate injection.

- (a) Chemical name. 4-(Dimethylamino)-2,2-diphenylvaleramide hydrogen sulfate.
- (b) Specifications. It is sterile and each milliliter of aqueous solution contains 0.5 milligram of the drug.
- (c) Sponsor. See No. 000856 in §510.600(c) of this chapter.

¹These conditions are NAS/NRC reviewed and deemed effective. Applications for these uses need not include effectiveness data as specified by §514.111 of this chapter, but may require bioequivalency and safety information.